

Message

From: Meyer, Jeffrey [DEP] [Jeffrey.Meyer@dep.nj.gov]
Sent: 2/17/2022 3:58:18 PM
To: LaVigna, Gaetano [LaVigna.Gaetano@epa.gov]; Wong, Danny [danny.wong@dep.nj.gov]; Richelle.wormley [Richelle.wormley@dep.nj.gov]
CC: Buettner, Robert [Buettner.Robert@epa.gov]
Subject: RE: Parkway

Guy, can you please resend the document that contains the production data?

From: LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>
Sent: Wednesday, February 16, 2022 10:42 AM
To: Wong, Danny [DEP] <Danny.Wong@dep.nj.gov>; Wormley, Richelle [DEP] <Richelle.Wormley@dep.nj.gov>; Meyer, Jeffrey [DEP] <Jeffrey.Meyer@dep.nj.gov>
Subject: [EXTERNAL] RE: Parkway

Yes

Gaetano La Vigna, Chief
Stationary Source Compliance Section
Air Compliance Branch
U.S. EPA Region 2
290 Broadway, 21st Floor
New York, New York 10007-1866
Phone (212) 637-4069
Email LaVigna.Gaetano@epa.gov

***CONFIDENTIAL:** This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.*

From: Wong, Danny [DEP] <Danny.Wong@dep.nj.gov>
Sent: Wednesday, February 16, 2022 10:34 AM
To: Richelle.wormley <Richelle.wormley@dep.nj.gov>; LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>; Meyer, Jeffrey [DEP] <Jeffrey.Meyer@dep.nj.gov>
Subject: RE: Parkway

Is this "Parkway Iron & Metal" in Clifton NJ?

From: Wormley, Richelle [DEP] <Richelle.Wormley@dep.nj.gov>
Sent: Wednesday, February 16, 2022 10:15 AM
To: LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>; Meyer, Jeffrey [DEP] <Jeffrey.Meyer@dep.nj.gov>
Cc: Wong, Danny [DEP] <Danny.Wong@dep.nj.gov>
Subject: RE: Parkway

Thank you that is good to know.

From: LaVigna, Gaetano <LaVigna.Gaetano@epa.gov>
Sent: Wednesday, February 16, 2022 10:14 AM
To: Wormley, Richelle [DEP] <Richelle.Wormley@dep.nj.gov>; Meyer, Jeffrey [DEP] <Jeffrey.Meyer@dep.nj.gov>
Subject: [EXTERNAL] Parkway

Richelle and Jeff – an interesting development with Parkway. We have just been informed that Parkway is choosing to test instead of accepting EPA's emission factor for their facility, which keeps our original information request for testing still in play. We're not sure what's really going on here yet, but their original estimated enclosure cost was more than \$700,000 and they told us was cost prohibitive.

We will keep you posted as we learn more.

Gaetano La Vigna, Chief
Stationary Source Compliance Section
Air Compliance Branch
U.S. EPA Region 2
290 Broadway, 21st Floor
New York, New York 10007-1866
Phone (212) 637-4069
Email LaVigna.Gaetano@epa.gov

CONFIDENTIAL: This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.